

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5	(re adj3 (oxidize or oxidized or oxidizing or oxidation)) same (rapid adj3 (thermal or anneal)) same (nitrous or "N.sub.20" same "H.sub.2")	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	84	((ultra adj3 thin) adj3 (silicon adj3 dioxide))	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
3	IS&R	L3	852	(438/287).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
4	IS&R	L4	351	(438/762).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
5	IS&R	L5	2779	(438/763).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search T xt	DBs
6	IS&R	L6	246	(438/775).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
7	IS&R	L7	85	(438/776).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
8	IS&R	L8	31	(438/777).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
9	IS&R	L9	192	(438/216).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
10	IS&R	L11	747	(438/197).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	Typ	L #	Hits	Search Text	DBs
11	IS&R	L13	379	(438/261).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B